


Mallas Metálicas para Harneros Tejidos y Dimensiones



Contenido

I. Mallas metálicas

Tejidos RMC y RCC
Tejidos RRC y RRP
Tejido RRL
Tejido RSP
Tejido REV
Tejido REVA

Tejidos RMC y RCC

Abertura		Diámetro Alambre		Área Útil
[mm]	["]	[mm]	["]	[%]
1.07	4/95	1.04	2/49	25.7
1.12	3/68	1.04	2/49	26.9
1.20	1/21	1.04	2/49	28.7
1.35	5/94	1.20	1/21	28.0
1.40	1/18	1.04	2/49	32.9
1.50	1/17	1.04	2/49	34.9
1.54	2/33	1.04	2/49	35.6
1.55	5/82	1.20	1/21	31.8
1.58	1/16	1.04	2/49	36.4
		1.20	1/21	32.3
1.60	1/16	1.04	2/49	36.7
		1.20	1/21	32.7
1.70	1/15	1.04	2/49	38.5
		1.20	1/21	34.4
1.80	1/14	1.20	1/21	36.0
1.85	4/55	1.25	3/61	35.6
2.00	3/38	1.04	2/49	43.3
		1.20	1/21	39.1
		1.40	1/18	34.6
		1.50	1/17	32.7
		1.60	1/16	30.9
2.18	3/35	1.04	2/49	45.8
2.30	1/11	1.04	2/49	47.4
2.33	1/11	1.20	1/21	43.6
2.34	7/76	1.60	1/16	35.3
2.36	4/43	1.04	2/49	48.2
		1.10	1/23	46.5
2.40	5/53	1.20	1/21	44.4
		1.60	1/16	36.0
		2.00	3/38	29.8
2.43	9/94	1.80	1/14	33.0
2.50	6/61	1.04	2/49	49.9
		1.20	1/21	45.7
		1.60	1/16	37.2
		1.80	1/14	33.8
		2.00	3/38	30.9
2.60	4/39	1.04	2/49	51.0
2.63	3/29	1.60	1/16	38.7
2.64	8/77	1.04	2/49	51.5
2.70	5/47	1.04	2/49	52.1
		1.20	1/21	47.9
		1.60	1/16	39.4
2.80	1/9	1.60	1/16	40.5
2.83	1/9	1.04	2/49	53.5
		1.20	1/21	49.3
3.00	2/17	1.04	2/49	55.1
		1.20	1/21	51.0
		1.50	1/17	44.4
		1.60	1/16	42.5
		1.80	1/14	39.1
3.17	1/8	2.00	3/38	36.0
		1.60	1/16	44.2

Tejidos RMC y RCC

Abertura		Diámetro Alambre		Área Útil
[mm]	["]	[mm]	["]	[%]
3.17	1/8	2.00	3/38	37.6
		2.50	6/61	31.3
		3.00	2/17	26.4
3.18	1/8	1.20	1/21	52.7
		1.50	1/17	46.2
3.30	10/77	1.80	1/14	41.9
3.35	12/91	1.50	1/17	47.7
		1.60	1/16	45.8
		1.80	1/14	42.3
3.36	9/68	1.20	1/21	54.3
3.50	4/29	2.00	3/38	40.5
		2.50	6/61	34.0
		3.00	2/17	29.0
3.55	13/93	1.04	2/49	59.8
		1.20	1/21	55.9
		1.60	1/16	47.5
3.76	4/27	2.34	7/76	38.0
3.96	12/77	2.00	3/38	44.1
4.00	3/19	1.04	2/49	63.0
		1.20	1/21	59.2
		1.40	1/18	54.9
		1.50	1/17	52.9
		1.60	1/16	51.0
		1.80	1/14	47.6
		2.00	3/38	44.4
		2.34	7/76	39.8
		2.50	6/61	37.9
		3.00	2/17	32.7
3.17	1/8	31.1		
4.20	1/6	2.50	6/61	39.3
4.35	6/35	2.00	3/38	46.9
4.50	14/79	1.80	1/14	51.0
4.70	5/27	2.00	3/38	49.2
4.75	3/16	1.20	1/21	63.7
		1.50	1/17	57.8
		1.60	1/16	56.0
		1.80	1/14	52.6
		2.00	3/38	49.5
		2.34	7/76	44.9
4.76	3/16	1.04	2/49	67.4
		1.65	5/77	55.1
		2.50	6/61	43.0
		2.67	2/19	41.0
		3.00	2/17	37.6
		3.17	1/8	36.0
		3.40	2/15	34.0
		3.76	4/27	31.2
5.00	12/61	4.00	3/19	29.5
		1.04	2/49	68.5
		1.20	1/21	65.0
		1.40	1/18	61.0
		1.50	1/17	59.2

Tejidos RMC y RCC

Abertura		Diámetro Alambre		Área Útil
[mm]	["]	[mm]	["]	[%]
5.00	12/61	1.60	1/16	57.4
		1.80	1/14	54.1
		2.00	3/38	51.0
		2.34	7/76	46.4
		2.50	6/61	44.4
		2.67	2/19	42.5
		3.00	2/17	39.1
		3.40	2/15	35.4
		3.76	4/27	32.6
		4.00	3/19	30.9
4.76	3/16	26.2		
5.50	21/97	1.50	1/17	61.7
		1.60	1/16	60.0
		2.50	6/61	47.3
3.00	2/17	41.9		
5.60	15/68	1.60	1/16	60.5
6.00	13/55	1.04	2/49	72.6
		1.20	1/21	69.4
		1.50	1/17	64.0
		1.60	1/16	62.3
		1.80	1/14	59.2
		2.00	3/38	56.3
		2.50	6/61	49.8
		2.67	2/19	47.9
		3.00	2/17	44.4
		3.17	1/8	42.8
		3.40	2/15	40.7
		3.76	4/27	37.8
		4.00	3/19	36.0
		4.50	14/79	32.7
		4.76	3/16	31.1
		5.00	12/61	29.8
		6.35	1/4	1.60
1.65	5/77			63.0
1.80	1/14			60.7
2.00	3/38			57.8
2.34	7/76			53.4
2.50	6/61			51.5
2.67	2/19			49.6
3.00	2/17			46.1
3.17	1/8			44.5
3.40	2/15			42.4
3.76	4/27			39.4
4.00	3/19			37.6
4.11	11/68			36.9
4.50	14/79			34.3
4.76	3/16	32.7		
5.00	12/61	31.3		
5.72	9/40	27.7		
6.00	13/55	26.4		
6.35	1/4	25.0		
6.50	11/43	2.34	7/76	54.1

Tejidos RMC y RCC

Abertura		Diámetro Alambre		Área Útil
[mm]	["]	[mm]	["]	[%]
6.50	11/43	3.40	2/15	43.1
6.68	5/19	1.60	1/16	65.1
7.00	8/29	1.50	1/17	67.8
		2.00	3/38	60.5
		2.50	6/61	54.3
		3.00	2/17	49.0
		3.17	1/8	47.4
		3.40	2/15	45.3
		3.76	4/27	42.3
		4.00	3/19	40.5
7.50	13/44	2.34	7/76	58.1
		4.00	3/19	42.5
		5.00	12/61	36.0
		6.35	1/4	29.3
7.53	8/27	3.17	1/8	49.5
7.69	10/33	4.50	14/79	39.8
7.93	5/16	2.00	3/38	63.8
		2.67	2/19	56.0
		3.00	2/17	52.6
		3.17	1/8	51.0
		3.40	2/15	49.0
		4.00	3/19	44.2
		4.11	11/68	43.4
		4.50	14/79	40.7
		4.76	3/16	39.1
		4.88	5/26	38.3
		5.15	15/74	36.8
		5.72	9/40	33.8
8.00	23/73	1.50	1/17	70.9
		3.17	1/8	51.3
		3.40	2/15	49.2
		3.76	4/27	46.3
		4.00	3/19	44.4
		4.50	14/79	41.0
		4.76	3/16	39.3
		4.88	5/26	38.6
		5.00	12/61	37.9
9.00	28/79	3.40	2/15	52.7
		3.76	4/27	49.7
		4.00	3/19	47.9
		4.76	3/16	42.8
		5.00	12/61	41.3
		6.00	13/55	32.7
9.35	7/19	1.65	5/77	72.3
9.53	3/8	1.60	1/16	73.3
		2.00	3/38	68.3
		2.34	7/76	64.5
		2.50	6/61	62.8
		2.67	2/19	61.0
		3.00	2/17	57.8
		3.17	1/8	56.3

Tejidos RMC y RCC

Abertura		Diámetro Alambre		Área Útil
[mm]	["]	[mm]	["]	[%]
9.53	3/8	3.40	2/15	54.3
		3.76	4/27	51.4
		4.00	3/19	49.6
		4.11	11/68	48.8
		4.50	14/79	46.1
		4.76	3/16	44.5
		4.88	5/26	43.7
		5.00	12/61	43.0
		5.15	15/74	42.1
		5.26	6/29	41.5
		6.00	13/55	37.7
		6.35	1/4	36.0
		8.00	23/73	29.6
10.00	37/94	1.60	1/16	74.3
		2.00	3/38	69.4
		2.34	7/76	65.7
		2.50	6/61	64.0
		3.17	1/8	57.7
		3.40	2/15	55.7
		4.00	3/19	51.0
		4.50	14/79	47.6
		5.00	12/61	44.4
		6.00	13/55	39.1
		6.35	1/4	37.4
7.00	8/29	34.6		
10.50	31/75	3.40	2/15	57.1
10.70	8/19	2.00	3/38	71.0
11.10	7/16	5.00	12/61	47.5
11.11	7/16	2.67	2/19	65.0
		3.00	2/17	62.0
		3.17	1/8	60.5
		4.00	3/19	54.1
		4.11	11/68	53.3
		4.50	14/79	50.7
		4.88	5/26	48.3
		5.00	12/61	47.6
		5.26	6/29	46.1
		5.60	15/68	44.2
		6.00	13/55	42.2
		6.35	1/4	40.5
7.19	15/53	36.9		
11.50	24/53	4.50	14/79	51.7
12.00	43/91	1.60	1/16	77.9
		3.00	2/17	64.0
		4.00	3/19	56.3
		4.11	11/68	55.5
		4.50	14/79	52.9
		5.00	12/61	49.8
		5.26	6/29	48.3
		5.60	15/68	46.5
6.00	13/55	44.4		
12.50	31/63	4.00	3/19	57.4

Tejidos RMC y RCC

Abertura		Diámetro Alambre		Área Útil		
[mm]	["]	[mm]	["]	[%]		
12.50	31/63	4.50	14/79	54.1		
		5.26	6/29	49.5		
		5.60	15/68	47.7		
12.70	1/2	2.50	6/61	69.8		
		2.67	2/19	68.3		
		3.00	2/17	65.4		
		3.17	1/8	64.0		
		3.40	2/15	62.2		
		4.00	3/19	57.8		
		4.11	11/68	57.1		
		4.50	14/79	54.5		
		4.76	3/16	52.9		
		4.88	5/26	52.2		
		5.00	12/61	51.5		
		5.26	6/29	50.0		
		5.60	15/68	48.2		
		5.72	9/40	47.5		
		6.00	13/55	46.1		
		6.35	1/4	44.4		
		13.00	22/43	2.50	6/61	70.3
3.40	2/15			62.8		
4.00	3/19			58.5		
4.11	11/68			57.7		
4.50	14/79			55.2		
5.00	12/61			52.2		
5.60	15/68			48.8		
7.93	5/16			38.6		
14.00	43/78			2.50	6/61	72.0
				3.00	2/17	67.8
		3.17	1/8	66.5		
		3.40	2/15	64.7		
		4.00	3/19	60.5		
		4.50	14/79	57.3		
		4.70	5/27	56.0		
		5.00	12/61	54.3		
		5.26	6/29	52.8		
		5.60	15/68	51.0		
14.28	9/16	3.17	1/8	67.0		
		5.00	12/61	54.9		
		5.26	6/29	53.4		
		5.60	15/68	51.6		
		6.00	13/55	49.6		
14.29	9/16	6.35	1/4	47.9		
		4.88	5/26	55.6		
		5.00	12/61	54.9		
		5.26	6/29	53.4		

Tejidos RMC y RCC

Abertura		Diámetro Alambre		Área Útil
[mm]	["]	[mm]	["]	[%]
14.29	9/16	6.00	13/55	49.6
		6.35	1/4	47.9
14.50	4/7	4.50	14/79	58.2
15.00	13/22	2.00	3/38	77.9
		3.00	2/17	69.4
		3.17	1/8	68.2
		3.76	4/27	63.9
		4.00	3/19	62.3
		4.50	14/79	59.2
		4.76	3/16	57.6
		4.88	5/26	56.9
		5.00	12/61	56.3
		5.60	15/68	53.0
		6.00	13/55	51.0
		6.35	1/4	49.4
15.87	5/8	6.35	1/4	51.0
15.88	5/8	2.00	3/38	78.9
		3.00	2/17	70.7
		3.40	2/15	67.8
		4.00	3/19	63.8
		4.11	11/68	63.1
		4.50	14/79	60.7
		4.88	5/26	58.5
		5.00	12/61	57.8
		5.26	6/29	56.4
		5.72	9/40	54.0
		6.00	13/55	52.7
		6.35	1/4	51.0
		7.93	5/16	44.5
8.00	23/73	44.2		
16.00	17/27	3.17	1/8	69.7
		3.76	4/27	65.6
		4.00	3/19	64.0
		5.00	12/61	58.0
		5.26	6/29	56.6
		6.00	13/55	52.9
		10.00	37/94	37.9
17.00	2/3	3.76	4/27	67.1
		4.00	3/19	65.5
		5.50	21/97	57.1
		5.60	15/68	56.6
		6.00	13/55	54.6
17.46	11/16	5.60	15/68	57.3
		6.35	1/4	53.8
		8.00	23/73	47.0
18.00	17/24	3.76	4/27	68.4
		4.00	3/19	66.9
19.00	3/4	5.00	12/61	62.7
		6.00	13/55	57.8
		6.35	1/4	56.2
		7.94	5/16	49.7
		8.00	23/73	49.5

Tejidos RMC y RCC

Abertura		Diámetro Alambre		Área Útil
[mm]	["]	[mm]	["]	[%]
19.00	3/4	9.80	22/57	43.5
		10.00	37/94	42.9
19.04	3/4	6.35	1/4	56.2
19.05	3/4	2.50	6/61	78.1
		3.00	2/17	74.6
		3.17	1/8	73.5
		3.40	2/15	72.0
		3.76	4/27	69.7
		4.00	3/19	68.3
		4.11	11/68	67.7
		4.50	14/79	65.4
		4.76	3/16	64.0
		4.88	5/26	63.4
		5.00	12/61	62.7
		5.00	12/61	62.7
		5.26	6/29	61.4
		5.26	6/29	61.4
		5.60	15/68	59.7
		5.70	11/49	59.2
		5.72	9/40	59.1
		6.00	13/55	57.8
		6.35	1/4	56.3
		6.35	1/4	56.3
		7.00	8/29	53.5
		7.92	29/93	49.9
		7.93	5/16	49.9
8.00	23/73	49.6		
9.53	3/8	44.4		
9.80	22/57	43.6		
20.00	37/47	3.00	2/17	75.6
		3.17	1/8	74.5
		3.40	2/15	73.1
		4.00	3/19	69.4
		4.50	14/79	66.6
		4.76	3/16	65.2
		5.00	12/61	64.0
		5.26	6/29	62.7
		5.60	15/68	61.0
		5.70	11/49	60.6
		6.00	13/55	59.2
		6.35	1/4	57.6
		6.35	1/4	57.6
		7.93	5/16	51.3
8.00	23/73	51.0		
9.60	17/45	45.7		
9.80	22/57	45.0		
20.63	13/16	4.11	11/68	69.5
		6.00	13/55	60.0
		6.35	1/4	58.5
20.64	13/16	4.50	14/79	67.4
		5.00	12/61	64.8
		6.00	13/55	60.0

Tejidos RMC y RCC

Abertura		Diámetro Alambre		Área Útil
[mm]	["]	[mm]	["]	[%]
20.64	13/16	7.00	8/29	55.8
		8.00	23/73	51.9
21.00	43/52	6.00	13/55	60.5
		6.35	1/4	59.0
		7.00	8/29	56.3
22.00	13/15	3.76	4/27	72.9
		4.00	3/19	71.6
		4.11	11/68	71.0
		6.00	13/55	61.7
		6.35	1/4	60.2
		7.93	5/16	54.0
		8.00	23/73	53.8
		9.80	22/57	47.9
22.20	7/8	12.70	1/2	40.2
22.22	7/8	9.53	3/8	49.0
22.22	7/8	3.17	1/8	76.6
		4.76	3/16	67.8
		5.26	6/29	65.4
		6.00	13/55	62.0
		6.34	1/4	60.5
		6.35	1/4	60.5
		7.93	5/16	54.3
		7.94	5/16	54.3
		8.00	23/73	54.1
		9.53	3/8	49.0
22.23	7/8	10.00	37/94	47.6
22.50	31/35	6.35	1/4	60.5
23.81	15/16	6.35	1/4	60.8
		8.00	23/73	62.3
24.00	17/18	8.00	23/73	56.0
		11.11	7/16	56.3
25.00	62/63	2.34	7/76	46.7
		3.76	4/27	83.6
		4.00	3/19	75.6
		5.00	12/61	74.3
		5.00	12/61	69.4
		5.26	6/29	69.4
		6.00	6/29	68.3
		6.00	13/55	65.0
		6.00	13/55	65.0
		6.35	1/4	63.6
		7.93	5/16	63.6
		8.00	23/73	57.6
9.53	3/8	57.4		
9.80	22/57	52.4		
12.00	43/91	51.6		
25.40	1	3.00	2/17	45.7
		3.17	1/8	80.0
		3.40	2/15	79.0
		4.00	3/19	77.8
		4.11	11/68	74.6
		4.50	14/79	74.1
				72.2

Tejidos RMC y RCC

Abertura		Diámetro Alambre		Área Útil
[mm]	["]	[mm]	["]	[%]
25.40	1	4.76	3/16	70.9
		5.00	12/61	69.8
		5.00	12/61	69.8
		5.26	6/29	68.6
		5.26	6/29	68.6
		5.60	15/68	67.1
		5.72	9/40	66.6
		6.00	13/55	65.4
		6.00	13/55	65.4
		6.34	1/4	64.0
		6.35	1/4	64.0
		6.35	1/4	64.0
		7.00	8/29	61.5
		7.93	5/16	58.1
		7.93	5/16	58.1
		8.00	23/73	57.8
		8.00	23/73	57.8
		9.53	3/8	52.9
		9.53	3/8	52.9
		9.80	22/57	52.1
10.00	37/94	51.5		
11.00	13/30	48.7		
11.11	7/16	48.4		
12.00	43/91	46.1		
12.50	31/63	44.9		
12.70	1/2	44.4		
26.67	1 1/20	4.00	3/19	75.6
26.98	1 1/16	8.00	23/73	59.5
26.99	1 1/16	9.53	3/8	54.6
27.00	1 1/16	5.26	6/29	70.0
		6.35	1/4	65.5
28.00	1 4/39	6.35	1/4	66.4
		9.53	3/8	55.7
		9.53	3/8	55.7
		9.80	22/57	54.9
28.57	1 1/8	6.35	1/4	66.9
		6.35	1/4	66.9
		7.93	5/16	61.3
		8.00	23/73	61.0
		8.00	23/73	61.0
		9.53	3/8	56.2
		9.80	22/57	55.4
		11.11	7/16	51.8
12.00	43/91	49.6		
28.58	1 1/8	9.53	3/8	56.2
29.00	1 1/7	5.26	6/29	71.7
		8.00	23/73	61.4
30.00	1 2/11	4.00	3/19	77.9
		4.50	14/79	75.6
		5.00	12/61	73.5
		6.00	13/55	69.4
		8.00	23/73	62.3

Tejidos RMC y RCC

Abertura		Diámetro Alambre		Área Útil
[mm]	["]	[mm]	["]	[%]
30.00	1 2/11	8.00	23/73	62.3
		9.53	3/8	57.6
31.75	1 1/4	5.26	6/29	73.6
		6.00	13/55	70.7
		6.35	1/4	69.4
		6.35	1/4	69.4
		7.00	8/29	67.1
		7.19	15/53	66.5
		7.19	15/53	66.5
		7.93	5/16	64.0
		7.93	5/16	64.0
		8.00	23/73	63.8
		9.53	3/8	59.2
		9.53	3/8	59.2
		9.80	22/57	58.4
		11.11	7/16	54.9
32.00	1 20/77	4.50	14/79	76.9
		7.93	5/16	64.2
		8.00	23/73	64.0
		9.53	3/8	59.4
33.00	1 3/10	3.40	2/15	82.2
		5.26	6/29	74.4
		8.00	23/73	64.8
		8.00	23/73	64.8
34.00	1 21/62	4.00	3/19	80.1
34.93	1 3/8	6.35	1/4	71.6
		8.00	23/73	66.2
		9.53	3/8	61.7
		9.80	22/57	61.0
35.00	1 17/45	4.50	14/79	78.5
		4.88	5/26	77.0
		6.00	13/55	72.9
		8.00	23/73	66.3
		9.53	3/8	61.8
		9.53	3/8	61.8
35.50	1 33/83	6.35	1/4	72.0
36.00	1 5/12	6.00	13/55	73.5
		8.00	23/73	66.9
36.51	1 7/16	9.80	22/57	62.2
37.00	1 37/81	10.00	37/94	62.0
37.50	1 10/21	9.50	3/8	63.7
		9.53	3/8	63.6
38.00	1 1/2	8.00	23/73	68.2
		9.80	22/57	63.2
38.10	1 1/2	3.40	2/15	84.3
		4.00	3/19	81.9
		4.11	11/68	81.5
		5.00	12/61	78.1
		6.00	13/55	74.6
		6.35	1/4	73.5
		6.35	1/4	73.5
		7.20	19/67	70.7

Tejidos RMC y RCC

Abertura		Diámetro Alambre		Área Útil		
[mm]	["]	[mm]	["]	[%]		
38.10	1 1/2	7.93	5/16	68.5		
		7.94	5/16	68.5		
		8.00	23/73	68.3		
		8.00	23/73	68.3		
		9.53	3/8	64.0		
		9.53	3/8	64.0		
		9.80	22/57	63.3		
		9.80	22/57	63.3		
		10.00	37/94	62.7		
		12.00	43/91	57.8		
		12.00	43/91	57.8		
		12.50	31/63	56.7		
		12.70	1/2	56.3		
15.88	5/8	49.8				
39.68	1 9/16	8.00	23/73	69.3		
40.00	1 23/40	4.00	3/19	82.6		
		5.00	12/61	79.0		
		6.35	1/4	74.5		
		7.93	5/16	69.6		
		8.00	23/73	69.4		
		8.00	23/73	69.4		
		9.53	3/8	65.2		
		9.53	3/8	65.2		
		9.80	22/57	64.5		
		9.80	22/57	64.5		
		12.70	1/2	57.6		
		41.00	1 35/57	9.53	3/8	65.8
		41.28	1 5/8	8.00	23/73	70.2
9.53	3/8			66.0		
12.00	43/91			60.0		
42.00	1 17/26	5.00	12/61	79.9		
		8.00	23/73	70.6		
44.44	1 3/4	10.00	37/94	66.6		
44.45	1 3/4	7.93	5/16	72.0		
		9.53	3/8	67.8		
		9.53	3/8	67.8		
		9.80	22/57	67.1		
		10.00	37/94	66.6		
		11.00	13/30	64.3		
		12.00	43/91	62.0		
		12.70	1/2	60.5		
14.00	43/78	57.8				
45.00	1 71/92	4.00	3/19	84.3		
		8.00	23/73	72.1		
		8.00	23/73	72.1		
		9.80	22/57	67.4		
		10.00	37/94	66.9		
47.00	1 17/20	9.80	22/57	68.5		
47.63	1 7/8	9.53	3/8	69.4		
48.00	1 8/9	8.00	23/73	73.5		
50.00	1 31/32	6.00	13/55	79.7		
		7.93	5/16	74.5		

Tejidos RMC y RCC

Abertura		Diámetro Alambre		Área Útil
[mm]	["]	[mm]	["]	[%]
50.00	1 31/32	8.00	23/73	74.3
		8.00	23/73	74.3
		9.53	3/8	70.5
		9.53	3/8	70.5
		9.80	22/57	69.9
		9.80	22/57	69.9
		10.00	37/94	69.4
		13.70	48/89	61.6
50.20	1 83/85	9.53	3/8	70.6
50.80	2	4.00	3/19	85.9
		5.00	12/61	82.9
		6.35	1/4	79.0
		7.93	5/16	74.8
		8.00	23/73	74.6
		8.00	23/73	74.6
		9.53	3/8	70.9
		9.53	3/8	70.9
		9.80	22/57	70.3
		10.00	37/94	69.8
		10.00	37/94	69.8
		11.11	7/16	67.3
		11.90	15/32	65.6
		11.90	15/32	65.6
		12.00	43/91	65.4
		12.00	43/91	65.4
		12.50	31/63	64.4
		12.50	31/63	64.4
12.70	1/2	64.0		
12.70	1/2	64.0		
14.00	43/78	61.5		
53.97	2 1/8	9.80	22/57	71.6
54.00	2 1/8	9.53	3/8	72.2
55.00	2 1/6	4.50	14/79	85.4
		12.70	1/2	66.0
56.00	2 17/83	9.53	3/8	73.0
		9.80	22/57	72.4
57.15	2 1/4	9.53	3/8	73.5
		9.80	22/57	72.9
		11.11	7/16	70.1
		12.00	43/91	68.3
		12.50	31/63	67.3
		12.70	1/2	66.9
13.70	48/89	65.1		
60.00	2 25/69	9.53	3/8	74.5
		12.70	1/2	68.1
61.00	2 2/5	9.80	22/57	74.2
63.00	2 12/25	12.50	31/63	69.6
63.50	2 1/2	4.00	3/19	88.5
		6.35	1/4	82.6
		8.00	23/73	78.9
		9.53	3/8	75.6
		9.80	22/57	75.0

Tejidos RMC y RCC

Abertura		Diámetro Alambre		Área Útil
[mm]	["]	[mm]	["]	[%]
63.50	2 1/2	10.00	37/94	74.6
		11.11	7/16	72.4
		11.11	7/16	72.4
		12.00	43/91	70.7
		12.00	43/91	70.7
		12.50	31/63	69.8
		12.70	1/2	69.4
		13.70	48/89	67.7
		14.00	43/78	67.1
		14.00	43/78	67.1
		15.88	5/8	64.0
		16.00	17/27	63.8
64.00	2 13/25	12.70	1/2	69.6
69.00	2 43/60	8.00	23/73	80.3
		8.00	23/73	80.3
69.85	2 3/4	8.00	23/73	80.5
		9.53	3/8	77.4
		12.00	43/91	72.8
		12.50	31/63	71.9
70.00	2 65/86	12.70	1/2	71.6
		16.00	17/27	66.3
73.02	2 7/8	12.70	1/2	72.6
74.00	2 21/23	12.00	43/91	74.0
76.20	3	4.76	3/16	88.6
		6.35	1/4	85.2
		6.35	1/4	85.2
		8.00	23/73	81.9
		9.53	3/8	79.0
		9.80	22/57	78.5
		10.00	37/94	78.1
		11.11	7/16	76.2
		11.90	15/32	74.8
		12.00	43/91	74.6
		12.50	31/63	73.8
		12.50	31/63	73.8
		12.70	1/2	73.5
		13.70	48/89	71.8
		14.00	43/78	71.4
16.00	17/27	68.3		
19.00	3/4	64.1		
79.37	3 1/8	9.80	22/57	79.2
82.51	3 1/4	14.00	43/78	73.1
82.55	3 1/4	12.00	43/91	76.2
		15.88	5/8	70.3
88.90	3 1/2	4.76	3/16	90.1
		6.35	1/4	87.1
		6.35	1/4	87.1
		9.53	3/8	81.6
		9.80	22/57	81.1
		10.00	37/94	80.8
11.11	7/16	79.0		

Tejidos RMC y RCC

Abertura		Diámetro Alambre		Área Útil
[mm]	["]	[mm]	["]	[%]
88.90	3 1/2	12.00	43/91	77.6
		12.70	1/2	76.6
		13.70	48/89	75.1
		14.00	43/78	74.6
		14.28	9/16	74.2
90.00	3 25/46	9.40	10/27	82.0
		9.53	3/8	81.8
		12.00	43/91	77.9
95.25	3 3/4	12.70	1/2	77.9
100.00	3 15/16	12.70	1/2	78.7
		16.00	17/27	74.3
101.60	4	6.35	1/4	88.6
		6.35	1/4	88.6
		9.53	3/8	83.6
		12.00	43/91	80.0
		12.50	31/63	79.3
		12.70	1/2	79.0
		13.70	48/89	77.6
		14.00	43/78	77.2
		15.88	5/8	74.8
		16.00	17/27	74.6
114.30	4 1/2	12.70	1/2	81.0
		16.00	17/27	76.9
127.00	5	12.50	31/63	82.9
		12.70	1/2	82.6
		14.00	43/78	81.1
		16.00	17/27	78.9
		19.00	3/4	75.7
		19.00	3/4	75.7
139.70	5 1/2	14.00	43/78	82.6
		19.00	3/4	77.5
		19.00	3/4	77.5
152.40	6	15.88	5/8	82.0
		16.00	17/27	81.9
		19.00	3/4	79.1
200.00	7 7/8	16.00	17/27	85.7
203.20	8	19.00	3/4	83.6
250.00	9 16/19	16.00	17/27	88.3
254.00	10	19.00	3/4	86.6

Tejidos RRC y RRP

Abertura				Diámetro Alambre		Área Útil [%]
Lado Menor		Lado Mayor		[mm]	["]	
[mm]	["]	[mm]	["]			
1.00	3/76	3.96	12/77	1.04	2/49	38.8
		7.30	25/87	1.04	2/49	42.9
1.20	1/21	3.96	12/77	1.04	2/49	42.4
1.45	2/35	3.96	12/77	1.20	1/21	42.0
1.50	1/17	2.00	3/38	1.04	2/49	38.9
		3.17	1/8	1.04	2/49	44.5
1.96	1/13	4.76	3/16	1.60	1/16	41.2
2.20	2/23	12.00	43/91	1.60	1/16	51.1
2.40	5/53	4.00	3/19	1.60	1/16	42.9
3.00	2/17	12.00	43/91	2.00	3/38	51.4
3.17	1/8	12.70	1/2	2.00	3/38	53.0
		19.05	3/4	1.60	1/16	61.3
3.45	11/81	7.93	5/16	2.00	3/38	50.6
3.47	3/22	15.88	5/8	2.00	3/38	56.3
3.50	4/29	7.00	8/29	2.00	3/38	49.5
4.00	3/19	13.00	22/43	1.04	2/49	73.5
4.50	14/79	25.00	62/63	1.60	1/16	69.3
5.00	12/61	25.00	62/63	1.80	1/14	68.6
5.50	21/97	25.00	62/63	1.80	1/14	70.3
6.35	1/4	15.88	5/8	1.80	1/14	70.0
		25.40	1	3.00	2/17	60.7
		25.40	1	4.76	3/16	48.1
		38.10	1 1/2	5.00	12/61	49.5
7.00	8/29	15.00	13/22	1.50	1/17	74.9
		15.00	13/22	1.60	1/16	73.6
7.50	13/44	19.00	3/4	6.35	1/4	40.6
		40.00	1 23/40	5.00	12/61	53.3
7.93	5/16	11.11	7/16	5.72	9/40	38.4
		15.88	5/8	4.11	11/68	52.3
		19.05	3/4	4.00	3/19	54.9
		19.05	3/4	4.76	3/16	50.0
8.00	23/73	24.00	17/18	4.00	3/19	57.1
		24.00	17/18	5.00	12/61	50.9
9.00	28/79	25.40	1	6.35	1/4	46.9
9.53	3/8	11.11	7/16	5.26	6/29	43.7
		19.05	3/4	4.00	3/19	58.2
		25.40	1	5.72	9/40	51.0
		25.40	1	6.00	13/55	49.6
		31.75	1 1/4	6.35	1/4	50.0
		50.80	2	7.93	5/16	47.2
10.00	37/94	20.00	37/47	5.00	12/61	53.3
11.11	7/16	19.00	3/4	4.50	14/79	57.5
		50.80	2	6.35	1/4	56.6
12.70	1/2	15.88	5/8	5.00	12/61	54.6
		19.05	3/4	4.76	3/16	58.2
		19.05	3/4	5.00	12/61	56.8
		38.10	1 1/2	5.26	6/29	62.1
		38.10	1 1/2	6.35	1/4	57.1
		50.80	2	9.53	3/8	48.1
14.00	43/78	21.00	43/52	5.00	12/61	59.5
		32.00	1 20/77	9.53	3/8	45.8
14.28	9/16	19.05	3/4	6.35	1/4	51.9

Tejidos RRC y RRP

Abertura				Diámetro Alambre		Área Útil [%]
Lado Menor		Lado Mayor		[mm]	[""]	
[mm]	[""]	[mm]	[""]			
14.28	9/16	63.50	2 1/2	8.00	23/73	56.9
14.29	9/16	50.80	2	9.53	3/8	50.5
		63.50	2 1/2	8.00	23/73	56.9
15.00	13/22	50.00	1 31/32	9.53	3/8	51.4
15.88	5/8	25.40	1	5.72	9/40	60.0
		25.40	1	7.93	5/16	50.8
		25.40	1	8.00	23/73	50.6
		76.20	3	9.53	3/8	55.5
16.00	17/27	19.00	3/4	6.00	13/55	55.3
17.46	11/16	50.80	2	9.53	3/8	54.5
		50.80	2	9.80	22/57	53.7
18.85	23/31	50.80	2	5.26	6/29	70.8
19.00	3/4	21.00	43/52	9.80	22/57	45.0
		25.00	62/63	6.35	1/4	59.8
		38.00	1 1/2	10.00	37/94	51.9
19.05	3/4	38.10	1 1/2	6.35	1/4	64.3
		38.10	1 1/2	8.00	23/73	58.2
		63.50	2 1/2	9.53	3/8	58.0
		63.50	2 1/2	9.80	22/57	57.2
20.00	37/47	30.00	1 2/11	5.00	12/61	68.6
		40.00	1 23/40	8.00	23/73	59.5
		45.00	1 71/92	6.35	1/4	66.5
22.22	7/8	31.75	1 1/4	5.00	12/61	70.5
		76.20	3	9.50	3/8	62.3
		76.20	3	9.53	3/8	62.2
		76.20	3	9.80	22/57	61.5
25.00	62/63	30.00	1 2/11	8.00	23/73	59.8
25.40	1	38.00	1 1/2	8.00	23/73	62.8
		50.80	2	6.00	13/55	72.3
		50.80	2	12.50	31/63	53.8
		76.20	3	9.53	3/8	64.6
26.99	1 1/16	50.80	2	9.80	22/57	61.5
31.75	1 1/4	34.93	1 3/8	6.00	13/55	71.8
34.93	1 3/8	63.50	2 1/2	9.53	3/8	68.3
38.10	1 1/2	63.50	2 1/2	11.90	15/32	64.2
		152.40	6	14.00	43/78	67.0
40.00	1 23/40	50.00	1 31/32	13.70	48/89	58.5
		60.00	2 25/69	9.80	22/57	69.0
44.45	1 3/4	63.50	2 1/2	9.53	3/8	71.6
50.00	1 31/32	70.00	2 65/86	9.80	22/57	73.3
50.80	2	57.15	2 1/4	8.00	23/73	75.8
		152.40	6	12.70	1/2	73.8
63.50	2 1/2	76.20	3	12.50	31/63	71.8
		76.20	3	12.70	1/2	71.4
76.20	3	152.40	6	13.70	48/89	77.8
114.30	4 1/2	152.40	6	16.00	17/27	79.4
203.20	8	300.00	11 73/90	19.05	3/4	86.0

Tejido RRL

Abertura				Diámetro Alambre		Área Útil
Lado Menor		Lado Mayor		[mm]	["]	[%]
[mm]	["]	[mm]	["]			
0.91	1/28	25.40	1	1.04	2/49	44.8
		50.80	2	1.80	1/14	32.4
1.00	3/76	25.40	1	1.00	3/76	48.1
		25.40	1	1.04	2/49	47.1
1.02	1/25	50.80	2	1.60	1/16	37.7
1.07	4/95	25.40	1	1.00	3/76	49.7
1.19	3/64	25.40	1	1.04	2/49	51.3
1.20	1/21	25.40	1	1.04	2/49	51.5
1.34	1/19	25.40	1	1.12	3/68	52.2
		25.40	1	1.15	1/22	51.5
1.40	1/18	40.00	1 23/40	1.40	1/18	48.3
1.42	1/18	25.40	1	1.00	3/76	56.5
1.43	4/71	25.40	1	1.40	1/18	47.9
		50.80	2	1.60	1/16	45.8
1.45	2/35	50.80	2	1.50	1/17	47.7
1.50	1/17	50.80	2	1.80	1/14	43.9
1.54	2/33	50.80	2	1.80	1/14	44.5
1.55	5/82	76.20	3	1.80	1/14	45.2
1.60	1/16	25.40	1	1.00	3/76	59.2
		50.80	2	1.20	1/21	55.8
		50.80	2	1.60	1/16	48.5
		76.20	3	1.80	1/14	46.0
1.68	1/15	25.40	1	1.04	2/49	59.3
		25.40	1	1.12	3/68	57.5
1.70	1/15	25.40	1	1.00	3/76	60.6
1.78	4/57	50.80	2	1.60	1/16	51.1
1.90	3/40	25.40	1	1.00	3/76	63.0
1.93	6/79	50.80	2	1.60	1/16	53.0
1.94	1/13	25.40	1	1.15	1/22	60.1
2.00	3/38	40.00	1 23/40	1.60	1/16	53.4
2.10	1/12	25.40	1	1.80	1/14	50.3
2.20	2/23	25.40	1	1.80	1/14	51.4
		25.40	1	2.00	3/38	48.6
		50.80	2	1.60	1/16	56.1
2.24	3/34	40.00	1 23/40	1.60	1/16	56.1
2.26	4/45	50.80	2	1.60	1/16	56.8
2.27	5/56	25.40	1	1.80	1/14	52.1
2.36	4/43	50.80	2	1.60	1/16	57.8
		76.20	3	2.03	2/25	52.4
2.40	5/53	25.40	1	1.60	1/16	56.4
2.48	4/41	50.80	2	1.60	1/16	58.9
2.50	6/61	50.80	2	1.60	1/16	59.1
2.60	4/39	50.80	2	1.60	1/16	60.0
2.64	8/77	50.80	2	1.60	1/16	60.4
2.73	10/93	25.40	1	1.60	1/16	59.3
2.80	1/9	50.80	2	1.60	1/16	61.7
2.85	11/98	25.40	1	2.34	7/76	50.3
3.00	2/17	25.40	1	1.80	1/14	58.4
		75.00	2 20/21	2.00	3/38	58.4
3.17	1/8	50.50	1 84/85	1.80	1/14	61.6
		50.80	2	1.60	1/16	64.4
		50.80	2	1.80	1/14	61.6

Tejido RRL

Abertura				Diámetro Alambre		Área Útil [%]
Lado Menor		Lado Mayor		[mm]	["]	
[mm]	["]	[mm]	["]			
3.17	1/8	50.80	2	2.00	3/38	59.0
		50.80	2	2.50	6/61	53.3
3.18	1/8	25.40	1	2.03	2/25	56.5
		25.40	1	2.50	6/61	51.0
		25.40	1	3.00	2/17	46.0
3.20	1/8	50.80	2	1.60	1/16	64.6
3.36	9/68	25.40	1	1.80	1/14	60.8
3.48	10/73	50.80	2	1.60	1/16	66.4
3.57	9/64	50.80	2	1.60	1/16	66.9
3.90	2/13	25.40	1	1.30	2/39	71.3
3.96	12/77	50.80	2	2.00	3/38	63.9
4.00	3/19	25.40	1	2.34	7/76	57.8
		38.10	1 1/2	1.60	1/16	68.5
		38.10	1 1/2	3.00	2/17	53.0
		99.00	3 79/88	3.40	2/15	52.3
		340.00	13 22/57	2.00	3/38	66.3
		340.00	13 22/57	2.50	6/61	61.1
4.31	9/53	25.40	1	2.00	3/38	63.3
4.39	14/81	25.40	1	2.00	3/38	63.7
4.76	3/16	76.20	3	2.34	7/76	65.0
4.83	4/21	25.40	1	2.00	3/38	65.6
4.85	17/89	25.40	1	2.00	3/38	65.6
4.88	5/26	25.40	1	2.00	3/38	65.8
5.00	12/61	10.00	37/94	3.00	2/17	48.1
		38.00	1 1/2	3.50	4/29	53.9
		63.50	2 1/2	3.17	1/8	58.3
		75.00	2 20/21	1.00	3/76	82.2
		75.00	2 20/21	2.00	3/38	69.6
		76.20	3	1.60	1/16	74.2
5.08	1/5	75.00	2 20/21	1.00	3/76	82.5
		75.00	2 20/21	2.00	3/38	69.9
6.00	13/55	38.10	1 1/2	4.00	3/19	54.3
		63.50	2 1/2	5.00	12/61	50.6
		65.00	2 52/93	1.60	1/16	77.1
		75.00	2 20/21	1.00	3/76	84.6
		75.00	2 20/21	1.20	1/21	82.0
		340.00	13 22/57	2.00	3/38	74.6
6.35	1/4	25.40	1	2.00	3/38	70.5
		50.80	2	3.40	2/15	61.0
		63.50	2 1/2	4.00	3/19	57.7
		76.20	3	1.60	1/16	78.2
		76.20	3	2.50	6/61	69.5
		101.60	4	2.67	2/19	68.6
6.40	1/4	75.00	2 20/21	2.00	3/38	74.2
7.00	8/29	38.10	1 1/2	4.50	14/79	54.4
		63.50	2 1/2	4.00	3/19	59.9
		75.00	2 20/21	1.20	1/21	84.0
		75.00	2 20/21	1.50	1/17	80.7
		75.00	2 20/21	1.60	1/16	79.7
		75.00	2 20/21	3.00	2/17	67.3
		360.00	14 13/75	2.00	3/38	77.3

Tejido RRL

Abertura				Diámetro Alambre		Área Útil
Lado Menor		Lado Mayor		[mm]	["]	[%]
[mm]	["]	[mm]	["]	[mm]	["]	[%]
7.93	5/16	203.20	8	6.35	1/4	53.8
8.00	23/73	24.00	17/18	4.00	3/19	57.1
		63.50	2 1/2	5.00	12/61	57.0
		75.00	2 20/21	1.20	1/21	85.6
		75.00	2 20/21	1.50	1/17	82.6
		75.00	2 20/21	1.60	1/16	81.6
		75.00	2 20/21	2.50	6/61	73.7
		76.20	3	3.17	1/8	68.8
		360.00	14 13/75	2.00	3/38	79.6
9.00	28/79	63.50	2 1/2	5.00	12/61	59.6
		76.00	3	3.00	2/17	72.2
		76.20	3	3.17	1/8	71.0
9.53	3/8	25.40	1	2.00	3/38	76.6
		50.80	2	6.00	13/55	54.9
		101.60	4	5.00	12/61	62.5
10.00	37/94	63.50	2 1/2	4.88	5/26	62.4
		63.50	2 1/2	5.00	12/61	61.8
		75.00	2 20/21	3.00	2/17	74.0
		75.00	2 20/21	3.17	1/8	72.9
		203.20	8	8.00	23/73	53.5
11.00	13/30	63.50	2 1/2	4.88	5/26	64.3
		63.50	2 1/2	5.00	12/61	63.7
11.11	7/16	76.20	3	6.35	1/4	58.7
12.00	43/91	63.50	2 1/2	4.88	5/26	66.0
		63.50	2 1/2	5.60	15/68	62.7
		75.00	2 20/21	3.00	2/17	76.9
12.70	1/2	63.50	2 1/2	4.88	5/26	67.1
		75.00	2 20/21	3.00	2/17	77.8
		76.20	3	6.35	1/4	61.5
		127.00	5	6.00	13/55	64.9
13.00	22/43	63.50	2 1/2	5.60	15/68	64.2
		75.00	2 20/21	3.00	2/17	78.1
		99.00	3 79/88	9.53	3/8	52.6
		99.00	3 79/88	9.80	22/57	51.9
13.20	13/25	50.80	2	4.00	3/19	71.1
13.80	25/46	153.99	6 1/16	4.50	14/79	73.3
14.00	43/78	63.50	2 1/2	4.88	5/26	68.9
		63.50	2 1/2	5.00	12/61	68.3
		63.50	2 1/2	5.60	15/68	65.6
15.00	13/22	75.00	2 20/21	2.00	3/38	85.9
		75.00	2 20/21	3.00	2/17	80.1
15.88	5/8	31.75	1 1/4	6.35	1/4	59.5
		31.75	1 1/4	8.00	23/73	53.1
		50.80	2	5.26	6/29	68.1
		127.00	5	9.80	22/57	57.4
16.00	17/27	63.50	2 1/2	4.88	5/26	71.2
		63.50	2 1/2	5.20	17/83	69.8
		63.50	2 1/2	5.60	15/68	68.1
17.00	2/3	75.00	2 20/21	3.00	2/17	81.7
18.00	17/24	75.00	2 20/21	3.00	2/17	82.4
		100.00	3 15/16	8.00	23/73	64.1
18.84	23/31	76.20	3	6.00	13/55	70.3

Tejido RRL

Abertura				Diámetro Alambre		Área Útil [%]
Lado Menor		Lado Mayor		[mm]	["]	
[mm]	["]	[mm]	["]			
18.85	23/31	76.20	3	6.00	13/55	70.3
19.00	3/4	76.20	3	4.76	3/16	75.3
19.05	3/4	63.50	2 1/2	8.00	23/73	62.5
		123.00	4 16/19	9.53	3/8	61.9
		123.00	4 16/19	9.80	22/57	61.2
		123.00	4 16/19	11.11	7/16	57.9
		127.00	5	6.00	13/55	72.6
		127.00	5	6.35	1/4	71.4
		127.00	5	7.93	5/16	66.5
20.00	37/47	63.50	2 1/2	4.88	5/26	74.6
		63.50	2 1/2	5.60	15/68	71.8
		63.50	2 1/2	6.35	1/4	69.0
		75.00	2 20/21	3.00	2/17	83.6
22.00	13/15	76.00	3	4.00	3/19	80.4
23.00	48/53	63.50	2 1/2	4.88	5/26	76.6
		63.50	2 1/2	6.35	1/4	71.2
25.00	62/63	63.50	2 1/2	8.00	23/73	67.3
25.40	1	146.05	5 3/4	8.00	23/73	72.1
		146.05	5 3/4	9.53	3/8	68.3
26.00	1 2/85	63.50	2 1/2	4.88	5/26	78.2
		63.50	2 1/2	7.93	5/16	68.1
28.00	1 4/39	76.20	3	5.60	15/68	77.6
31.75	1 1/4	0.00	0	7.93	5/16	0.0
		76.20	3	6.35	1/4	76.9
		78.50	3 1/11	6.00	13/55	78.1
35.00	1 17/45	90.00	3 25/46	8.00	23/73	74.8
38.10	1 1/2	76.20	3	11.11	7/16	67.6
44.45	1 3/4	76.20	3	6.35	1/4	80.8
		76.20	3	9.80	22/57	72.6
		120.00	4 71/98	11.11	7/16	73.2
44.50	1 3/4	90.00	3 25/46	8.00	23/73	77.8
47.00	1 17/20	80.00	3 3/20	6.00	13/55	82.5
		80.00	3 3/20	6.35	1/4	81.6
50.00	1 31/32	90.00	3 25/46	8.00	23/73	79.2
50.80	2	120.00	4 71/98	11.11	7/16	75.1
55.00	2 1/6	90.00	3 25/46	8.00	23/73	80.2
63.50	2 1/2	120.00	4 71/98	11.11	7/16	77.9
76.20	3	120.00	4 71/98	11.11	7/16	79.9
82.55	3 1/4	120.00	4 71/98	11.11	7/16	80.7
88.90	3 1/2	120.00	4 71/98	11.90	15/32	80.2

Tejido RSP

Abertura		Diámetro Alambre		Área Útil
[mm]	["]	[mm]	["]	[%]
21.00	43/52	6.35	1/4	59.0
25.00	62/63	8.00	23/73	57.4
25.40	1	7.93	5/16	58.1
		8.00	23/73	57.8
		9.53	3/8	52.9
		9.80	22/57	52.1
		11.11	7/16	48.4
		12.50	31/63	44.9
		12.70	1/2	44.4
28.57	1 1/8	9.53	3/8	56.2
		9.80	22/57	55.4
		11.11	7/16	51.8
29.00	1 1/7	6.35	1/4	67.3
		7.93	5/16	61.7
		8.00	23/73	61.4
30.00	1 2/11	9.53	3/8	57.6
		9.80	22/57	56.8
31.10	1 11/49	9.53	3/8	58.6
31.75	1 1/4	6.35	1/4	69.4
		7.93	5/16	64.0
		8.00	23/73	63.8
		9.53	3/8	59.2
		9.80	22/57	58.4
		10.00	37/94	57.8
		11.11	7/16	54.9
		12.00	43/91	52.7
		12.70	1/2	51.0
32.00	1 20/77	9.53	3/8	59.4
		9.80	22/57	58.6
		10.00	37/94	58.0
		12.50	31/63	51.7
		12.70	1/2	51.2
33.00	1 3/10	9.80	22/57	59.4
34.00	1 21/62	9.80	22/57	60.3
		10.00	37/94	59.7
35.00	1 17/45	7.93	5/16	66.5
		8.00	23/73	66.3
		9.80	22/57	61.0
		12.00	43/91	55.5
36.00	1 5/12	9.53	3/8	62.5
		9.80	22/57	61.8
		10.00	37/94	61.2
36.51	1 7/16	9.80	22/57	62.2
37.00	1 37/81	9.53	3/8	63.2
		12.00	43/91	57.0
		12.70	1/2	55.4
38.00	1 1/2	7.93	5/16	68.5
38.10	1 1/2	6.00	13/55	74.6
		7.93	5/16	68.5
		8.00	23/73	68.3
		9.53	3/8	64.0
		9.80	22/57	63.3

Tejido RSP

Abertura		Diámetro Alambre		Área Útil
38.10	1 1/2	10.00	37/94	62.7
		11.11	7/16	59.9
		11.90	15/32	58.1
		12.00	43/91	57.8
		12.50	31/63	56.7
		12.70	1/2	56.3
		14.00	43/78	53.5
		15.88	5/8	49.8
39.68	1 9/16	9.53	3/8	65.0
39.69	1 9/16	11.11	7/16	61.0
40.00	1 23/40	7.93	5/16	69.6
		9.53	3/8	65.2
		9.80	22/57	64.5
		10.00	37/94	64.0
		12.50	31/63	58.0
		12.70	1/2	57.6
41.00	1 35/57	9.53	3/8	65.8
		9.80	22/57	65.1
41.28	1 5/8	8.00	23/73	70.2
		9.80	22/57	65.3
		11.11	7/16	62.1
		12.00	43/91	60.0
42.00	1 17/26	9.80	22/57	65.7
		10.00	37/94	65.2
44.00	1 52/71	9.53	3/8	67.6
44.45	1 3/4	8.00	23/73	71.8
		9.53	3/8	67.8
		9.80	22/57	67.1
		10.00	37/94	66.6
		11.11	7/16	64.0
		11.90	15/32	62.2
		12.00	43/91	62.0
		14.00	43/78	57.8
45.00	1 71/92	9.80	22/57	67.4
		10.00	37/94	66.9
47.62	1 7/8	9.80	22/57	68.8
		11.11	7/16	65.7
		12.00	43/91	63.8
48.00	1 8/9	9.53	3/8	69.6
		11.90	15/32	64.2
50.00	1 31/32	8.00	23/73	74.3
		9.53	3/8	70.5
		9.80	22/57	69.9
50.80	2	7.93	5/16	74.8
		8.00	23/73	74.6
		9.53	3/8	70.9
		9.80	22/57	70.3
		10.00	37/94	69.8
		11.11	7/16	67.3
		11.90	15/32	65.6
		12.00	43/91	65.4
		12.50	31/63	64.4
12.70	1/2	64.0		

Tejido RSP

Abertura		Diámetro Alambre		Área Útil
50.80	2	14.28	9/16	60.9
52.00	2 1/21	8.00	23/73	75.1
53.97	2 1/8	9.80	22/57	71.6
55.00	2 1/6	9.80	22/57	72.0
57.15	2 1/4	9.53	3/8	73.5
		9.80	22/57	72.9
		10.00	37/94	72.4
		12.00	43/91	68.3
		12.70	1/2	66.9
60.00	2 25/69	9.53	3/8	74.5
63.50	2 1/2	9.53	3/8	75.6
		9.80	22/57	75.0
		10.00	37/94	74.6
		11.11	7/16	72.4
		11.90	15/32	70.9
		12.00	43/91	70.7
		12.50	31/63	69.8
		12.70	1/2	69.4
		14.00	43/78	67.1
		15.88	5/8	64.0
16.00	17/27	63.8		
64.00	2 13/25	9.80	22/57	75.2
65.00	2 52/93	12.70	1/2	70.0
69.85	2 3/4	9.53	3/8	77.4
		9.80	22/57	76.9
		12.70	1/2	71.6
70.00	2 65/86	11.11	7/16	74.5
		12.70	1/2	71.6
75.00	2 20/21	8.00	23/73	81.7
		9.53	3/8	78.7
76.20	3	7.93	5/16	82.0
		9.53	3/8	79.0
		9.80	22/57	78.5
		10.00	37/94	78.1
		11.11	7/16	76.2
		11.90	15/32	74.8
		12.00	43/91	74.6
		12.50	31/63	73.8
		12.70	1/2	73.5
		13.70	48/89	71.8
		14.00	43/78	71.4
		14.28	9/16	70.9
		15.88	5/8	68.5
16.00	17/27	68.3		
19.00	3/4	64.1		
79.37	3 1/8	9.80	22/57	79.2
80.00	3 3/20	11.90	15/32	75.8
82.55	3 1/4	11.11	7/16	77.7
88.90	3 1/2	10.00	37/94	80.8
		11.90	15/32	77.8
		12.00	43/91	77.6
		12.70	1/2	76.6
16.00	17/27	71.8		

Tejido RSP

Abertura		Diámetro Alambre		Área Útil
90.00	3 25/46	11.90	15/32	78.0
		12.00	43/91	77.9
100.00	3 15/16	12.00	43/91	79.7
101.20	3 63/64	12.00	43/91	79.9
101.60	4	9.53	3/8	83.6
		11.90	15/32	80.1
		12.50	31/63	79.3
		12.70	1/2	79.0
		15.88	5/8	74.8
		16.00	17/27	74.6
152.40	6	16.00	17/27	81.9

Tejido REV

Abertura		Diámetro Alambre		Distancia entre Gomas	Área Útil [%]
[mm]	["]	[mm]	["]		
3.00	2/17	2.50	6/61	Según especificación del Cliente	29.7
3.50	4/29	1.80	1/14		43.6
		2.50	6/61		34.0
4.00	3/19	2.50	6/61		37.8
5.00	12/61	2.50	6/61		44.3
6.00	13/55	2.50	6/61		49.7
		3.00	2/17		44.3
6.35	1/4	2.50	6/61		51.3
7.00	8/29	2.50	6/61		54.1
		3.00	2/17		48.8
7.93	5/16	3.40	2/15		48.7
8.00	23/73	3.00	2/17		52.7
		3.40	2/15		49.0
		4.00	3/19		44.2
9.00	28/79	3.00	2/17		56.0
		4.00	3/19		47.6
9.53	3/8	2.50	6/61		62.5
		3.00	2/17		57.5
		3.17	1/8		56.0
		3.40	2/15		54.0
		4.00	3/19		49.2
10.00	37/94	4.00	3/19		50.6
		4.50	14/79		47.1
11.00	13/30	4.50	14/79		49.9
11.11	7/16	4.00	3/19		53.6
12.00	43/91	3.17	1/8		62.1
		4.50	14/79		52.3
12.70	1/2	4.50	14/79		53.9
15.88	5/8	4.50	14/79		59.9

Tejido REVA

Abertura		Diámetro Alambre		Distancia entre Gomas	Área Útil [%]
[mm]	["]	[mm]	["]		
3.00	2/17	2.50	6/61	Según especificación del Cliente	29.7
3.50	4/29	1.80	1/14		43.6
		2.50	6/61		34.0
4.00	3/19	2.50	6/61		37.8
5.00	12/61	2.50	6/61		44.3